
Aeroguard[®]

AP 700

Instruction Manual



Please read this manual carefully before use

Technical Specifications

No.	Item	Content	
1	Power	43 W	
2	Voltage Frequency	220 V 50 Hz	
3	Noise Level (Max.)	57 dB(A)	
4	Timer Function	1, 2, 4, 8 H	
5	Applicable Area	56 m²	
6	Clean Air Delivery Rate	215 m³/h	
7	Wind Speed	3 Grades of Wind	
8	Control Operation	Touch Panel	
9	Protection Function	Child Lock	
10	Net Weight	5 Kg	

11 Product Size (HxWxD) 32.5×17.2×51 cm



Features

PRE-FILTER The Pre-filter removes large particles such as dust, hair, pet dander and fibres.

LUNG FILTER

Removes dust particles which are holding harmful chemicals.

H1N1 FILTER WITH HEPA


Prevents from dangerous H1N1 Swine Flu. HEPA filter is a full composite synthetic filter, capable of removing up to 99.99% of micro-particles, such as particulate matter (PM 2.5 & 10), fine dust, pollen and mould spores.

HEPA FILTER (HIGH EFFICIENCY PARTICULATE AIR)

HEPA filter, full composite synthetic filter is capable of removing up to 99.99% of micro-particles, such as particulate matter (PM 2.5 & 10), fine dust, pollen. and mould spores

ACTIVATED CARBON FILTER The granular activated carbon binds gases and odours of natural and chemical origin. This filtration stage is effective in reducing tobacco smoke and cooking smell.

ANTI-BACTERIAL FILTER Anti-bacterial filter inhibits the growth of micro-organisms and prevents their breeding on filters.



Installation

•Install filter

First, remove the filter from the plastic bag 1. Remove the air inlet, 2. Remove the filter, 3. Remove the filter from the plastic bag.



Press the "PUSH" on both sides of the front cover and open the front cover.



Note: There are internal and external points, the one with the pull tab facing out; be sure to install the front panel before use.

How to use

1. After plugging in the power, you will hear a sound "Di", the machine enters standby mode, and the air quality indicator will show red colour.

2.Boot



After the power is turned on, the air quality indicator light is completely white, and the corresponding air quality indicator is displayed after the sensor is warmed up

3.Timer



The machine's working time can be set by the timer button while the machine is running. Set the time to 1 hour, 2 hours, 4 hours, 8 hours, press again to turn off the corresponding indicator lights after the selected time. 4.Speed

Press the speed button to change the speed of the motor, which is divided into first gear, second gear, third gear, automatic. In the mode, PM2.5 corresponds to the corresponding table of air quality indicator and gear position in the intelligent mode of speed:

Green light = excellent

vellow light = good second red light = bad

1 2 3 9

Press the wind speed button to change the speed of the motor. It is divided into: first gear, second gear, third gear and sleep. When pressed, the machine increases one gear from the current gear position and cycles in turn.

5. Child Lock When the child lock button is pressed, the button function of the machine enters the locked state, and all the buttons cannot be operated. Long Press this button for 3 seconds to unlock.

6.Reset

This unit is equipped with a timing change filter function, which will flash until the 1500 hour filter replacement prompt. Press and hold the reset button for 5 seconds to clear the filter indicator and reset

7.Power off

the timing function.

When the power is on, touch the "Power" button on the operation, and the machine enters the standby state. (The icon light is on when the machine enters the standby state.)

Precautions

*Installation instructions

1. Do not place in the following places:


. Direct sunlight or facing the air outlet and heated places (may cause deformation, Deterioration, discolouration, and







3.In order to effectively circulate the air in the room. In order not to block the air inlet and outlet, place the product about 30cm or more from the left and right sides of the wall, furniture, curtains, etc. In order to use this product more effectively, please keep the back of the product at least 20cm away from the wall.



5.Do not block the air inlet and outlet, for example, do not place objects on the air outlet or in front of the air inlet



Positioning of air purifier

- . Position the Aeroquard in such a way that the inlet & outlet air flow is not
- · Always place the air purifier on a dry, level and horizontal surface
- Make sure that there is at least 30 cm space around the air purifier
- . Do not place the device near sources of heat, such as heaters or ovens
- · Do not operate the devices beneath a smoke detector
- . Do not operate the air purifier in a freshly painted room (wall not completely
- dried). It may discolour them and life of the filters will also reduce.
- . Do not place objects on top of the Aeroquard, which will hinder the performance of the purifier

Start - up of the air purifier

- · Open the unit and remove all packaging from the individual filters
- . Ensure that all filters / UV lamp are installed correctly. Please refer the instruction manual on maintenance
- · Plug the device into the electricity supply
- . Turn on the air purifier, it will start immediately & initiate purification process
- · When moving the unit, always ensure that the power code is securely stowed in the cable compartment
- · Note: Aeroquard functions best in an indoor environment, when the windows









Prohibited


1. The machine is prohibited from moving or shaking while it is running. Do not null on the power cord while moving or storing it Pulling the power cord may cause a short circuit or damage to the inside of the power cord, resulting in fire or electric shock. 2. Do not damage the power cord or plug, and do not cut.




excessively twist, pull, or twist the power cord. If the power cord is damaged, it must be replaced by the manufacturer, service department or professional to avoid danger. Non-professionals are prohibited from disassembling the machine to avoid the risk of electric shock. 3. The plug and hand should not be exposed to water before plugging


4.Do not use power supplies, universal sockets or connected











daily vacuum cleaners and range hoods used in the kitchen. 8. Do not use this product in gas appliances, heating devices





- 10. Never place products in such locations . Unstable locations (otherwise the product may fall or fall over, resulting in injury, electric leakage, electric shock or fire.)
- . Locations that are hot, humid, or wet, such as bathrooms (air purifiers may cause electric shock or fire due to electric leakage.) or a place where the kitchen emits soot
- 11.Do not use air purifiers indoors with incense-based

ventilated before using the air purifier.

- · Chemical residues may accumulate in the machine and then
- be released from the air outlet to endanger your health. . After using the insecticide, allow the room to be thoroughly















- . The switch does not work.
- . I noticed an abnormal sound or vibration

12.It is not recommended to use an air purifier when burning incense or mosquito coils, otherwise the filter of the air purifier will leave an odour





Mandatory matters

Mandatory matters

- 1. Turn off the power of the machine immediately when any of the following conditions occur (may cause electric shock, sparks or smoke)
- . There is abnormal sound or vibration during operation
- *The product is abnormally hot and has a burnt odour
- 2.Please clean the power plug regularly
- . If the power plug is dusty, moisture may damage the insulated part of the plug. resulting in a fire.
- . If the appliance is not used for a long time, please unplug the power cord.
- 3.Be sure to disconnect the power before performing maintenance on the appliance. The product may suddenly start, causing electric shock and injury.
- 4. Plug the plug securely into the power outlet (if the plug is not securely inserted. it may cause electric shock due to overheating or even cause a fire.)
- Do not use a damaged plug or a loose power outlet.
- 5. Please pull the power plug from the insulated part of the hand-held plug. . Pull the power cord to pull off the power plug, which may cause damage to the power cord, electric shock, short circuit, or fire,
- 6. When any of the following conditions occur, please turn off the power of the machine immediately and look for the maintenance
- . The power cord or plug is abnormally hot
- *There are any other abnormalities or malfunctions
- 7. Non-professionals are prohibited from disassembling the machine to avoid the risk of electric shock

Filter / dust sensor maintenance

1.Pre-filter (about half a month)



Use a vacuum cleaner to remove dust from the surface of the filter. or wash it with water and dry it thoroughly.

2. HEPA+ activated carbon composite filter (about once every two months)



When the 1500 hour filter replacement prompt //// flashes, press and hold the reset button to clear the filter indicator light and reset the timing function.

- Place the filter in a ventilated place so that the harmful gases and bacteria on the surface of the filter can be volatilized. Do not expose it to excessive sunlight . Do not wash the filter with water

· Unplug the power plug before cleaning and maintenance;

- Do not operate with the filter removed (no dust removal effect, and the dust that is inhaled may cause equipment failure):
- . Unplug the power cord when it is idle for a long time (it will also consume power in
- . Depending on the place of use and the method of use (for example, households with a large number of smokers or areas with severe air pollution), the filter replacement cycle may be shortened. If the filtration effect is not obvious, replace the filter in time.
- When replacing the filter, please turn off the power first.