## voltmi

# Aura Portable Air Purifier



## **Thank You!**

I thank you for purchasing your first Voltmi Aura Portable Air Purifier.

Your Aura will effectively purify your air and remove Pollen, Mold, Germs, Bacteria, Pet Dender, Dust & Smoke, Aldehyde, and many more harmful airborne particles. With 99.52% air purification and air quality light indication, your surrounding air will always remain fresh, clean, and harmless as long as an Aura is beside you.

Please feel free to call our Toll free no. in India 1 800 266 1786 for any queries or concerns. You have a one-year replacement warranty on all out-of-box issues, so feel free to connect with our team anytime you need.

You can contact me directly for any feedback, issues, or concerns about your Voltmi Aura. I will be more than happy to connect directly with you.

Thanks once again.

Garry Pardeshi CEO & Founder Voltmi E-mail: gp@aplomhk.com M- +852-95433660

## Warranty Guidelines

The Voltmi warranty is confined to the first purchaser of the Voltmi products only and is non-transferable. The warranty services are limited to repair or replacement of the product & are at the sole discretion of the local distributor or official agent of Voltmi in your state or country. Proof of purchase is required to be presented for availing warranty services. You can register a warranty service request with our customer care number 1800 266 1786 (Toll free) & for India only.

Our customer service team will contact you and attempt to troubleshoot the issue. If the problem is not resolved over call or remail, we will arrange to pick up the device from your address, for repair or replacement. In case of the non-availability of a reverse-pickup facility at your location, Voltmi will request you to self-ship the product to our warehouse and share the tracking details with the Voltmi customer service team.

Voltmi will not be responsible for any loss or damage during transit if you self-ship your product to us. Voltmi warranty coverage shall be limited only to provide repairs & rectification of the fault reported. In case a replacement is provided, it will be done with an equivalent condition device only, with or without packaging & accessories.

vəltmi

Voltmi shall not cover any consequential or resulting liability, damage or loss to property or life, injuries, and loss of any personal data arising directly or indirectly from any defects in Voltmi products. Voltmi shall not cover any liability or claim pertaining to any rashes or skin allergy due to Voltmi productsi usage, nor will it be able to provide any repairs or replacement for such issues. While Voltmi will make every effort to repair at the earliest, we would like to make it expressly clear that we are under no obligation to do so in a specified period.

Voltmi Warranty is not applicable in any of the following cases: The product is not operated according to the instruction manualis instructions. In case of any damage to the product, customer abuse, repair by unauthorized persons, misuse detected, work attacked or damaged by house pests, pets, rodents, accidental or incidental damage, spillage of any liquid on the device, device subjected to extreme temperatures, atmospheric conditions, waterlogging in the product, non-specified charger usage, any breaking or cutting of wires, improper or reckless use, defects developed by due to causes beyond control like lightening, abnormal voltage or acts of God.

This warranty will automatically terminate on the expiry of the warranty period of 12 Months (as determined by proof of purchase), even if the product is not in use during the warranty period. Deterioration or peeling of the color of the product due to normal wear & tear or usage. Issues pertaining to look & feel of the product, dim display under sunlight, low sound quality due to accumulation of dust or dirt.

For warranty clarifications, you may please call our customer care on Customer care no. 1 800 266 1786

4 | User manual

#### **Product Parameters**

- 1. Product name: Aura
- 2. Product model: PAP01
- 3. Material: ABS/Hardware/PCBA
- 4. Input voltage/current: DC5.0V~6.0V MAX(±10%)
- 5. Working current: 400-850mA
- 6. Working power: 4.5W
- 7. Fan working current: 1st gear/450mA; 2nd gear/600mA; 3rd gear/820mA(±10%);
- 8. Fan working power: 1st gear/2.25W; 2nd gear/3W; 3rd gear/4.25W;
- 9. Negative ion concentration: 8\*10 PCS/cm<sup>3</sup>(tested at 100cm from the emitter)
- 10. PPM: <0.05PPM
- 11. Product size: 74\*74\*171mm
- 12. Product weight: 240g
- 13. Executive standard: GB4706.45-2008
- 14. Inspection: Qualified

#### **Product Parts**



- ) Fan cover
- ) Function button
- Work indicator
- 4) Main machine
- 5) Filter element
- 6) Hardware air intake
  - ) Filter element holder

### vəltmi

#### **Function Operation**

- 1. Buttorn'M'function: Click'M'button for the first time to turn on the automatic mode. The fan switches gears according to the air quality; Click'M'button for the second time is manual mode first gear; Click'M'button for the third time, switch to manual second gear; Click'M'button for the fourth time, switch to manual mode third gear and click'M'button for the fifth time, and turn of the machine.
- Negative ion function: Long press the "M"button for the first time, turn on the negative ion, and long press the "M"button for the second time turn off the negative ions.
- 3. Type-c input port: The product Type-c input port can supply power to the product.
- 4. USB output port: DC5V can be output for other products.
- Note: The negative ions are turned on at the same time in any mode, and the negative ions can be independently controlled to turn on or off in any mode.

#### Indicator Light

- Definition of air quality indicator: when the red light is on, the air quality is very poor, When the blue is on, the air quality is poor; When the green light is on, the air quality is good.
- 2. Air quality indicator: When the product is connected to the power, the air quality indicator light will turn on red, green, and blue in turn, and the air quality indicator light turns green.and after the warm-up time (about 3 minutes) is over, the machine changes the indicator color according to the air quality in any mode.
- Negative ion indicator; when the negative ion is turned on, the negative ion indicator white breathing light is on, when the negative ion is turned off, the negative ion indicator light is off.
- 4. Working instruction; In automatic mode, the white indicator light of 1-2-3 gear on, the negative ion indicator while breathing light is on; When the manual first gear is used, the white indicator light of 1st gear on, negative ion white indicator light of 7 and gear on, negative ion white indicator breathing light is on. When the manual second gear is used, the white indicator light of And gear on, negative ion white indicator breathing light is on. When the manual third gear is used, the white indicator breathing light is on. When the manual third gear is used, the white indicator breathing light is on. When the manual third gear is used, the white indicator breathing light on. When the function is turned of all indicator lights on all yought lights on. When the function is turned of all indicator lights and any quality lights on. When the function is turned of all indicator lights and any quality lights on. When the function is turned of all indicator lights on all yought lights on. When the function is turned of all indicator lights on all yought lights on. When the function is turned of all indicator lights on all yought lights on the light on. When the function is turned of all indicator lights on all yought lights on the light on the lindicator light on the lindicator light on the light on the ligh

#### Cautions

- The filter element of this product is is recommended to be cleaned every half a month and replaced every three months.
- When cleaning the filter element, do not wash it with water. Use a hairdryer to blow the inside of the filter element, or use a soft brush or toothbrush to clean the dust attached to the surface of the filter.
- When cleaning the filter element, please do not knock the filter element, otherwise, the internal structure of the filter element will be damaged and the filtering effect will not be achieved.
- The applicable scope of this product is 5-10 square meters. If the space is large, please use the appropriate product
- A small of ozone will be produced when this product works. If you feel difficult to breathe, please turn off the machine and open the window for ventilation.
- 6. Do not spray corrosive liquid such as essence, essential oil, perfume, etc, on the filter.

#### Filter element replacement steps



Counterclockwise

to open the host



filter element



Put in the replacement filter



Clockwise to tighten the host

#### Product Accessories:

Air purifier\*1pc, Tpye-c cable\*1pc, User manual\*1pc, Qualified certificate\*1pc

## vəltmi

User manual | 7

www.voltmi.com



Customer Care: 1800 266 1786 (Toll-Free)

Voltmi is a registered trademark of ALPS Enterprises

ALPS Enterprises, Mahavir Industrial Estate, Kanchpada, Malad(West), Mumbai - 400 064

Product Made in P.R.C, conceptualized and conceived in India